X 1st & Final bill

Recorded on:-

modified Cost RS:- 31.44 Lakhs

M. A. R. 57 (Rule 116) Job Code No:-004-22-000003

Measurement Book No. F 496740

Work order No:- BBMP/EE/YNK.D/EPMT-14/W.0/135/2021-22 Date 17/03/2022

Serial No. .....

Name of work Additional works to Public Toilet at TO E.S. Circle in Yelahanka upanagara ward No-04.

Name of Contractor of nature of Agency Sri Lokanatha Reddy N. No-05 First floor, 7th 'B' Cross, Kanakanagara, R.T Nagar, Bangalore-560032

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions			Contents	Reference to last Measurement
		Number	Length	Breadth	Depth	
1	2	3	4	5	6	7	8
	(1) KSRB M200-14.2. Dismantling of existing structures like culverts bridges, retaining walls and other structure Comprising of masonry cement concrete, wood work, steel work, including T&P and RCC ffolding wherever necessary etc as per specifications and directions of engineer in charge work.					
	Quantity vide E-bill :- 2.06 m^3				CRS. 397.65	819.16
	(2) 37.51: Dismantling cement concrete flooring on plain cement concrete work including removing and conveying the debries to distance upto 200m etc as per specifications and directions of engineer in charge works.					
	Quantity vide E-bill :- 6.36 m^2				CRS. 397.65	2527.07

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(3) Dismantling plastering and removing the debries with a ... up to 200mm etc as per Specifications and directions of Eng... -ee in charge work.						
	Quantity vide E-bill:- 10.30 m²					@Rs. 41.92	431.78
(5)	(4) KSRB 2-2.2: Earthwork excavation for foundation of buil... -ings, water supply, Sanitary lines and electrical Conduits exc... in pits or in trenches 1.5mm and above in width, in hard ro... not exceeding 1.5mm in depth; including dressing the bottom & ... of pits and trenches etc as per Specifications and directions ... engineer in charge work.						
	Quantity vide, E-bill:- 56.73 m³					@Rs. 508.68	28855.91
	(5) KSRB 2.8: Providing and filling in foundation with gra... trap broken metal 100mm and down size with approved ...						

Serial No. .....
Name of work .....
Name of Contractor of na...
Date of commencement o...

Date	Full description
1	2
	including ... materials ... fications a...
	(6) KSRB 4-1.3 ... of mix 1:...

M. A. R. 57 (Rule 116)
Measurement Book

No. E 496741

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	including hand packing ramming watering including cost of all materials and labour with all lead and lift Complete as per Specifications and directions of engineer in charge work.						
	Quantity vide E-bill :- 10.01 m^3						
	A) up to 125% of quantity :- 1.95 m^3 @RS. 2751.86						5366.00
	B) Above 125% of quantity :- 8.06 m^3 @RS. 2751.86						22186.00
	⑥ KSRB 4-1.3 : Providing and laying in position plain cement Concrete of mix 1:4:8 (@7.5) with opc cement @180 Kgs with 40mm and down						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Size graded granite metal fine aggregates @0.57 cum fications and directions of engineer in charge work.	Coarse aggregates @0.85 cum machine mixed as per spec					
	Quantity vide, E-bill:- 10.49 m³						
	A) up to 125% of quantity:- 8.74 m³ @RS. 6203.05					54199.15 SH 2/4.15	
	B) Above 125% of quantity:- 1.75 m³ @RS. 6203.05					10852.00 10855.34	
	⑦ KSRB 4-1.5: Providing and laying in position Plain Cement Concrete of mix m20 with opc cement @300 kgs, with 20mm and down size graded granite metal Coarse aggregates @0.69 cum and fine aggregates @0.43 cum, with Superv						

Serial No. .....
Name of work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	thor @ 3 lts cont mixed as per Sp work.
	⑧ KSRB 5.2-3: Provi Size stone masonr hammered dressed stones at 2mm a labour. Curing Co neer in charge

M. A. R. 57 (Rule 116) **No. E**

Measurement Book

496742

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Dimensions: Breadth	Dimensions: Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	stirror @ 3 lits continuously to IS 9103-1999 Reaffirmed-2008 machine mixed de as per Specifications and directions of engineer in charge work.						
	Quantity vide E-bill :-					16.66 m³ @Rs. 6741.03	112321.57
(8)	KSRB 5.2-3 : Providing and Constructing granite/trap/basalt Rise Stone masonry in foundation Cement mortar 1:6 Stone hammered dressed in Courses not less than 20cms hight. bond Stones at 2mm apart in each Course, including cost of materials labour, curing Complete as per Specifications and directions of engineer in charge work.						
	Quantity vide E-bill :-					10.46 m³ @Rs. 5206.90	54465.48

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(9) KSRB 2.3: Filling available excavated earth (excluding rock) sides of foundations up to plinth in layers not exceeding 20cm in depth Compacting each deposited layer by ramming after watering with lead up to 50mm and lift up to 1.5mm including Cost of all labour Complete as per Specifications and directions of engineer in charge work.						
	Quantity vide, E-bill:- 39.71 m^3						
	A) Upto 125% of Quantity:- 20.86 m^3 @ RS. 227.72						4750.81
	B) Above 125% of Quantity:- 18.85 m^3 @ RS. 227.72						4292.00
	(10) Conveying the excavated earth, debries etc, with all lifts and lifts including loading and unloading charges						

Serial No. .....
Name of work .....
Name of Contractor of nature
Date of commencement of wo

Date	Full description, et
1	2
	Complete as
	(11) KSRB 4-6.1
	ffing. propp
	footings. bo
	materials
	ner in cha
	(12) KSRB 4-6

M. A. R. 57 (Rule 116) No. E 496743
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Complete as per Specifications and directions of engineer in charge work						
	Quantity vide E-bill :-					21.50 m³	1513.14
	@RS. 70.38						
(11)	KSRB 4-6.1: Providing and removing centering, shuttering, strutting, propping etc and removal of forms work for foundations footings, bases of columns for small Concrete including cost of all materials labour Complete as per Specifications & directions of engineer in charge work.						
	Quantity vide E-bill:-					11.10 m²	3244.42
	@RS. 292.29						
(12)	KSRB 4-6.4: Providing and removing centering, shuttering, strutting						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
			Quantity vide E-bill:- 1.16 Tonnes				1148
			@Rs 99,036.47				114752
(19)	KSRB 5-14-1: Providing and Constructing load bearing wall with Solid Concrete blocks of size 400x200x200 having block density not less than 1800 kg/m³ having a minimum average compressive strength of 5.00 N/mm² as per Specifications and directions of engineer in charge work.		Quantity vide E-bill:- 41.93 m²				43317.74
			@Rs.1033.22				43320
(20)	KSRB 5-15: Providing and Constructing non-load bearing wall with Solid Concrete blocks of size 400x100x200 having a block density not less than 1800 kg/m³ having a minimum average						

Serial No. .....
Name of work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	
1	2	
	Compressive strength of sections and directions	
(21)	KSRB 15-3.8: Providi with cement mort Corners, wherever req directions of engineer	

M. A. R. 57 (Rule 116) No. E
Measurement Book

496746

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Compressive Strength of 4.00 N/mm 2 Confirming to IS 2185 as per Specifications and directions of engineer in charge work. Quantity vide E-bill:- 21.60 m 2 @Rs. 918.80						19846.08
	(21) KSRB 15-3.8: Providing 18mm Thick Cement plaster in Single Coat with Cement mortar 1:4 to brick masonry including rounding off Corners, wherever required Smooth rendering as per specifications and directions of engineer in charge work. Quantity vide E-bill:- 98.52 m 2 @Rs. 295.69						29131.38

M. A. R. 57 (Rule 116)
Measurement Book

No. E 496747

Serial No. ..... From ..... To .....

Name of work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(24) Providing applying two coats of wall putty to inside plastered walls and ceiling using white cement putty & Gapping and levelling the surface using steel blade and preparing the surface even and smooth by using different grade sand papers, in -cluding cost of all materials etc as per Specifications and dire -ctions of engineer in charge work. Quantity vide E-bill:- 43.20 m² @Rs. 88.37						3817.58
	(25) KSRB 15-15.1: Providing and applying painting in two coats with plastic emulsion paint of approved brand on wall						

M. A. R. 57 (Rule 116) No. E 496748
Measurement Book

Serial No. ..... From ..... To .....
Name of work .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
						B) Above 125% of Quantity: 138.93 m²	16055.00
						CRS. 115.56	
	(27) KSRE 14-9-1: Providing and laying m-15 cement Concrete flooring 50mm Thick with metallic Concrete hardner topping, under layer of 35mm Thick m-15 Cement Concrete using broken granite metal of 20mm and down size and top layer 50mm Thick of metallic Cement hardner Consisting of mix 1:2 etc as per specifications and directions of engineer in charge work.					Quantity vide E-bill: 68.21 m²	
						A) up to 125% of Quantity: 52.50 m²	
						CRS. 714.87	37530.68

M. A. R. 57 (Rule 116) No. E
Measurement Book

496750

Serial No. ..... From ..... To .....
Name of work .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(32) water proofing of Rcc Terrace/Podium Slab/toilet/utilities/water retaining structure by preparing the surface by chipping and cleaning and Grouting of honey comb, voids, Cracks/ Construction joints with cement slurry etc as per Specifications and direct -ions of engineer in charge work.						
	Quantity vide E-bill :- 141.71 m²						
	A) upto 125% of quantity :- 90.75 m²						54079.74
						CRS. 595.92	
	B) Above 125% of quantity :- 50.96 m²						30368.00
						CRS. 595.92	

M. A. R. 57 (Rule 116) No. E 496752
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc. of work	Number	Dimensions: Length	Dimensions: Breadth	Dimensions: Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	(37) KSRB 9.5.2: Providing and fixing in position fully panelled honneywood shutters for doors, Styles and rails of 40mm thick with bottom lock rails 1200mm wide top rail and Styles 100mm wide as per drawing and panels of 25mm Thick as per Specifications and directions of engineer in charge work. Quantity vide E-bill:- 1.58 m² CRS. 5349.65					8425.70	
	(38) Providing and applying painting two Coats (excluding priming coat) on new wood Surface and/or wood based Surface with enamel paint to give an even shade, cleaning the Surface of all dirt, dust and foreign matter, Sand papering including cost of						

M. A. R. 57 (Rule 116) No. E
Measurement Book
496754

Serial No. ..... From ..... To .....
Name of work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(43) Providing and laying platforms using pre polished water cut/ gang saw 40mm thick telephonic Black Granite, laid on existing vertical supports and fixing in cm 1:3 proportion including cutting to required shape, pattern with paper joints etc as per specifications and directions of engineer in charge work. Quantity vide E-bill :- 21.13 m² @Rs. 3993.54						84383.50 84373.52
	(44) Providing and fixing of Aluminium Composite panel of Approved make and colour for wall cladding for straight Brick/Red stone walls & columns/beams with necessary aluminium frame						

M. A. R. 57 (Rule 116) No. E 496756

Measurement Book

Serial No. ..... From ..... To .....

Name of work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Number	Dimensions: Length	Dimensions: Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	(50) Sanso Art, make:- Hindware urinals. Quantity vide E-bill:-					8.00 Nos CRS. 36715.00	293720.00
	(51) magna wash basin make:- Hindware wash basin. Quantity vide E-bill:-					5.00 Nos CRS. 9441.00	47205.00
	(52) Sonkar, make:- Jaquare Taps. Quantity vide E-bill:-					5.00 Nos CRS. 15735.00	78675.00

M. A. R. 57 (Rule 116)
Measurement Book

No. E 496758

Serial No. ..... From ..... To .....

Name of work .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	length, 200mm dia with cp brackets, fixed to wooden brass & Screws including cost of materials, labour Specifications.						cleats with c.p complete as per
						Quantity vide E-bill:- 8.00 nos	
						A) up to 125% of Qty:- 5.00 nos CRS 837.23	4186.15
						B) Above 125% of Qty:- 3.00 nos CRS 837.23	2512.00
(58)	Providing and fixing 7.5cms to 15.0cms dia MP grating 100mm duct as per Specifications and directions of engineer in charge work.						

M. A. R. 57 (Rule 116) No. E

Measurement Book

496760

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	wiring adopting loop System in existing pvc Conduit/Casing Capping using 2X1.5 Sqmm (phase & neutral) & 1X1.00sqmm (earth wire) etc as Per Specification.						
	Quantity vide E-bill:-					12.00 Nos	25760
	@RS. 209.80						
(66)	point wiring using Copper wire without Switch Supplying and wiring adopting loop System in existing pvc Conduit/Casing Capping using 2X1.5 Sqmm (phase & neutral) & 1X1.00 Sqmm (Earth wire) etc as Per Specifications.						
	Quantity vide E-bill:-					15.00 Nos	4327.20
	@RS. 288.48						

M. A. R. 57 (Rule 116) No. E 496762

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(73) Supplying and mounting 2 nos of 2 way 6amps flush type switches either surface/flush mounted on existing gang box or in 4mm thick plastic sheet and mounted on a flush mounted wooden box and wiring as per IS 1293. Quantity vide E-bill:- 4.00 nos @Rs 157.35 629.40						
	(74) Supply and fixing of bakelite D.P. Socket switch with/without neon indicator over existing wood board or flush mounting in plastic plated switches as per IS 1293 cleats per Specification.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	50 Hz, Ac Supply etc as per Specifications.		Quantity vide, E-bill:- 25.00 Nos @ Rs. 1258.80			31470	
	(79) Supplying. fixing and wiring electronic Trivector meter(Es 5 to 20 Amps Single phase class-1 Accuracy with Temperpo energy meter.		Quantity vide. E-bill:- 2.00 Nos @ Rs. 1206.35			2412.70	
					Sub Total Rs:-	2805.07	
					Add 12% of GST charges Rs	-336.60	
					Grand Total Rs:-	3141.67	

Serial No. .....
Name of work .....
Name of Contractor of nature of
Date of commencement of work

Date	Full description, etc,
1	2
	1) Certified to work. 2) Certified

M. A. R. 57 (Rule 116) No. E
Measurement Book

496764

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	CERTIFICATE 1) Certified that the above work done is Satisfactory Completed to work. 2) Certified that the There is no debries have been cleared to site. 9/6/14 ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ. ಬಿ.ಡಿ.ಎ. ಬೆಂಗಳೂರು-10						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to the Measurement
1	2	3	4	5			



ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ.
ಬ.ಮ.ಪ. ಬೆಂಗಳೂರು-63

Serial No. .....
Name of work .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work
1	2

Gross Amt =Rs 3141
FSD =Rs —
CGST = Rs 28
SGST = Rs 28
IT = Rs 31
LC = Rs 31
CBF = Rs 3
Roy.dry =Rs 16
T.D = Rs 12
Int Addl =Rs 3

M. A. R. 57 (Rule 116)
Measurement Book

No. E 496765

erial No. ..... From ..... To .....

ame of work .....

ame of Contractor of nature of Agency..... Lokanatharreddy.N. 1st & final

ate of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Breadth	Depth	Contents	Reference to last Measurement
	2	3	4	5	6	7	8
			SBR No 27			12-07-2022	
			SOR code no			004-22-000003.	

Gross Amt =Rs 3141702-00

FSD =Rs ——

CGST = Rs 23050-00

SGST = Rs 23050-00

IT = Rs 31418-00

LC = Rs 31418-00

CBF = Rs 3142-00

Roy[illegible] =Rs 16794-00

T D = Rs 133872-00

Net Amt=Rs 3002830-00

Audited & Admitted for Rs 3141702-00

Thirty one lakh forty one thousand seven hundred zero two

3002830-00 by Cheque

and Rs 133872-00 by adjustment

Accts Supdt.
yelahanka Division
BBMP

Exe Engineer
yelahanka Division
BBMP